RAIL WHEEL PLANT/BELA

DISASTER MANAGEMENT

PLAN-2024

INDEX

S.N.	Description	Page no.
1	Introduction	2
1.1	Definition of Disaster	2
1.2	Type of Disaster	2
1.3	Core Group for disaster management	2
1.4	Duties of the core group	2
1.5	Emergency situation RWP/Bela	3
1.6	In-house disaster teams	3
1.6.1	First Response Team	4
1.6.2	Control room	4
1.6.3	Medical team	5
1.6.4	RPF team	5
1.6.5	Welfare team	5
1.6.6	Electrical team	6
1.6.7	Mechanical team	6
1.6.8	Engineering team	6
1.7	Prescribed code for Hooter/Siren for declaring disaster	7
1.8	Information sequence for disaster /emergency	7
1.9	Immediate duties of shift incharge /available supervisor	7
2.0	Fire disaster	8
	Important phone numbers in case of fire	9
3.0	Flood disaster	10
	Important phone numbers in case of floods	12
4.0	Terrorist Activities	12

	Important phone numbers in case of terrorist activity	13
5.0	Earthquake disaster	14
	Important phone numbers in case of earthquake	15
6.0	Wild animal straying	16
6.3.5	Important phone numbers in case of wild animal straying	17
7.0	Other important phone number	17
	East Central Railway control no.	17
	Annexure- A	18
	Annexure- B	19

INTRODUCTION

1.1 Definition of Disaster:-

The definition of DM as given by the Government of India was legislated for the first time in the Disaster Management Act, 2005. The broad principles of disaster for any department of the government changed to the concept of any incident which could not be handled with alone by that department i.e. if it was beyond the coping capacity of a particular department, the incident could be termed as a disaster. With this came the concept of the departments of Government of India as also the State governments required to join hands to extend whatever facilities were available with them to provide relief/rescue and mitigation on the occurrence of a disaster.

1.2 TYPE OF DISASTER

Disasters are classified under the following types:

Sl. No.	Types of Disaster
1.	Fire inside plant premises & Buildings
2.	Floods
3.	Terrorist Activity
4.	Earthquake
5.	Wild animals straying

1.3 **Core Group for Disaster Management:** In order to ensure proper response in case of various types of disaster as mentioned above, a core group has been formed headed by PHoD(PCME/RWP) level officer and members of Disaster Core Team of RWP/Bela are as follows: .

Department	**Member of Core group**
Mechanical	Dy CME/Cast
Electrical	Dy CME/HQ
Security	Secy to CAO
Personnel	Dy CPO
Medical	ACMS
Finance	Dy FA&CAO
Store	Dy CMM
Civil	Dy CE
Metallurgy	Dy. CCMT

1.4 **Duties of the Core Group:**

a) To frame out a Disaster Management Plan for RWP/Bela.

b) To review the Disaster Management Plan at least once a year.

c) To take overall charge of the relief/rescue operations in case of any disaster in their field.

d) To ensure that all officers and supervisors in their shops(up to level of SSE/Chief OS) are made aware of DM plan once in a year.

e) A list of items likely to be needed for disaster management to be prepared. They shall ensure that items needed by their department are procured on merit basis, and kept in a suitable location, which is easily accessible in case of disaster. They shall also review the items at least once in year.

f) All the contact numbers given in DM plan must be updated by S&T team in every six month and incorporate in DM plan.

1.5 Emergency Situation (Disaster) can arise in plant area RWP/Bela due to:

a) Molten metal spillage in Melting, Pouring pit area due to malfunction/failure of equipments (Electric Arc Furnace, EOT Crane, Ladle) or operational mistake.
b) Fire and Explosion in HSD/LPG Storage area, Power Transformer, Switch yard Control Room, Explosion in Electric Arc Furnace due to water entrapped in molten metal, BMCG manifold and bursting of pipe lines.
c) Fire and Explosion in Machinery and Plant (Heat treatment furnace- Normalising and Draw Furnace, Sand Plant , LPH and Tube preheating & holding)
d) Explosion of DA gas/LPG Cylinder.
e) Bursting of pressure vessels including LPG, Liquid Oxygen tanks and air receiver in compressed air lines.
f) Emission of Smoke due to oil catching fire.

1.6 **In-house Disaster Team consists of following team:** In case of any type of disaster mentioned in DM para 1.2, the following team formed immediately and their work and responsibility is mentioned below:

a) First Response Team

b) Control Room

c) Medical Team

d) RPF and Rescue Team

e) Welfare Inspector

f) Electrical Team

g) Mechanical Team

h) Engineering Team

In case of any disaster/emergency other than plant area i.e Admin Building, BTI, ORH, Railway Colonies, Main Depot Store, Polyclinic, SRH and Kendriya Vidayalya/Bela, the above mentioned core team of disaster will start their work immediately by forming Control Room at assembly area/ nearby safer place of respective accident site.

Note: Assembly area for Plant is demarcated near Staff Canteen and for Admin Building is open area North side of Admin Building.

General Instruction regarding Disaster Team:

a. It is important that all Fire Fighting Team, nurses and Para-Medical Staff, at site are in full uniform. All doctors should also wear their dress.

b. Sufficient florescent band should be available and staff involved in the rescue operation should wear them for easy identification.

1.6.1 **First Response Team**: Control by Dy.HoD of concern department. In absence of Dy.HoD, SS/JS officer of concern department will take charge.

Members: Shift In-charge with Staff of concern department will first response to disaster.

Function:

1. Site Check by Concerned Shift In-charge, Sound hooter and declare Emergency, inform to Fire Control Room, CSO, DG set, First Aid Room and Welfare Inspector.
2. Start Rescue Operation and Evacuation.

1.6.2 **Control Room**: Headed by Senior Most Officers available at Site.

Members: CPRO, Planning – Officers, Staff and Fire Fighting Team, S&T.

Location of control room:- (i) Emergency control room, bungalow no. 1 officers' colony /RWP/Bela.
(ii) Near staff canteen/RWP/Bela.

For other location like- Staff colony, Railway hospital, temporary control room will be set up at convenient location as per requirement to tackle the disaster efficiently.

Function of Control Room:

1. Setup Communication facility at assembly point.
2. Maintain Record of Injured and dead employee.
3. Relay necessary information to higher & Concern authority. A log register will be opened & maintained in which all relevant details of communication & conversation with site and other authorities, messages received & sent etc. will be maintained with time and date.
4. The control room in charge shall apprise CAO/RWP regarding the situation
5. Liaising with Local Administration and seek help.
6. Handle Press and Media related Matter if required.

7. Extensive photography to be undertaken through the Digital as well as Video Camera at the accident site. Photographs of injured & dead persons should also be taken. PRO should be at the site

8. Controlling of Fire with In-house Fire Fighting Team.

9.Co-ordinating with Local Administration, State Fire Brigade, Factory Inspector.

1.6.3 **Medical team:** Headed by Senior Most Doctor.

Members: Paramedical Staff, Maintenance team and Doctors

Functions of Medical Team:

1. Provide First -Aid to injured person.

2. Shifting of severe Injured and Dead person.

3. Controlling the Ambulance movement.

4. Co-ordination with Central and Civil Hospital for treatment of Injured.

Medical Team will be assisted by on duty Maintenance Staff.

1.6.4 **RPF team**: Headed by Senior Person of RPF

Members: All RPF staff and Inspectors.

Functions:

1. ASC/RPF or On duty Inspector will immediately get the site cordoned off and protect the injured and their belongings.

2. Liaising with Local Police Station for Law & Order.

3. Keep ready Back-up team for rescue & evacuation operation.

4. To control and manage the crowd. RPF staff should also use mega mikes for controlling.

5. They shall also ensure any clues regarding cause of accident if preserved.

1.6.5 **Welfare team** Headed by SWI

Members: Personnel Staff and Welfare Inspector.

Functions:

1. Provide personal details of Injured and Dead Person to Control Room.
2. Liaising with relatives of Injured and Dead Person.
3. Arrangement of Drinking Water, Tea and Snacks for Injured Person and rescue team.
4. Create and maintain Emergency cash imprest for refreshment.

1.6.6 **Electrical Team** headed by Officer/Senior Electrical Supervisor.

Members: On duty Electrical Staff and Supervisors.

Functions:

1. Control and Regulate the Power supply at Accident Site. DG sets may be used if the main power supply needs to be cut off for safety purposes
2. Arrangement of Electrical Fittings at Accident Site and Control Room.
3. Make necessary lighting arrangement at rescue site, assembly area & control room.

1.6.7 **Mechanical Team** Headed by WFPS Officer

Members: On duty RT and Utility Staff and Supervisors.

Function:

1. To arrange Emergency & Utility Vehicles.
2. On duty utility staff/supervisor immediately close the source of supply of inflammable liquids by closing main valve.
3. To assist para-medical staff in first-aid.
4. To depute one staff with injured person while shifting to hospital.

1.6.8 **Engineering Team** headed by Dy.CE/AEN

Members: All civil staff and supervisor (IOWs)

Functions:

1. Assist Medical & relief teams in rescue and relief operation and in transportation of the injured.
2. Regulate water Supply at accident spot as per requirement.


3. To assess and arrange the Engg. Material required for rescue & restoration

1.7 Prescribed code for Hooter/ Siren for declaring disaster:

Officers/Shift Incharge of concern shop sound the hooter as soon as there is a disaster observed by him as per following special code indicated below:

Alarm for declaring disaster and evacuation	Siren blown intermittently five times in succession (Up & Down) and announced through PA system available at JMP.
All Clear Alarm	Continuous hoot for one minute and announced through PA system available at JMP

1.8 Information Sequence for disaster/emergency.



1.9 **Immediate duties of Shift Incharge /available supervisor:**

- In case of Fire, he immediately utilise the suitable fire extinguisher to douse the fire.
- In case of electrical fire, he immediately turn off the electric supply of concern Shop/Section/Office.
- Alert the persons working nearby and advise them to move to a safer area and ensure

evacuation of total employee present in the section.

- Inform the all concern officers as mentioned in para no.1.8.
- Provide personnel protective equipment to the personnel working in the rescue/incident area.
- Provide First-Aid to injured person and arrange shifting them to Ambulance/Hospitals.
- Assist to Removes all obstructions for Fire Fighting personnel to have free access to reach the accident spot.
- Remove any inflammable material kept near the fire accident area.
- In case of fire in Admin Building or other offices, all sections should have instructions written clearly on their Notice Boards regarding important almirah like SR's, ACR's with the tag **"RESCUE FIRST –IN CASE FIRE".**

2.0 FIRE DISASTER:

GENERAL INSTRUCTIONS IN CASE OF FIRE:-

a) Don't run in panic and take undue risk.

b) Ensure personal safety first and then immediately use proper fire extinguisher as per type of fire to douse the fire. If fire will not be controlled then informed to Fire control room.

c) Fire services rushes to the spot with Fire Tender, barricades the area and start extinguishing fire.

d) Don't argue, make crowd at the accident site of fire.

e) Don't temper any machinery or equipment during firefighting. Leave them to authorized persons to handle.

f) Every SSE/Ch.OS/OS must maintained and display the important Phone numbers to contact in case of any accident/disaster in their sections**.**

A. In case of Electrical Fire:

I. Use CO2/ABC Dry chemical type of fire extinguishers

II. Ordinary fire extinguishers or water from a hose pipe not to be used to extinguish fire on live wire or electrical equipment.

III. Immediately switched off the electrical supply from Main switch.

B. Fire caused by petrol or any other inflammable liquids, acids or gases:

I. Isolate the affected vehicle or area involved. Remove oil drums and used oil soaked clothes from accident site.

II. Cut off the source of supply of inflammable liquids by closing main valve.

III. Use D.C.P. fire extinguishers and sand, not water or soda acid type fire extinguisher to douse the fire.

IV. Do not bring naked lights near the site of fire.

C. Fire due to Molten Metal:

I. Don't douse the fire by using water.

II. Don't come in contact with molten metal.

III. Use DCP/ABC type fire extinguishers.

D. Fire due to Solid Material like Wood, bushes:

I. Use fire hydrant/ABC Dry chemical type of fire extinguishers.

II. If fire is not controlled then call for fire tender by contacting fire control room.

III. In case of major fire, available supervisor should call Sonepur Fire Station.

2.1 Fire Drill- at Place of Work:

Fire drill will be conducted on quarterly basis by planning section to ensure that they are familiar with and understand the fire precautions and the action to be taken in the event of fire. Fire drill will normally cover following points:

1. Sounding of Hooter/Siren.
2. Calling the Fire Brigade and Ambulance.
3. Information to all concerned mock drill team - CSO/ Factory Manager/Occupier/RPF/Medical Team/Electrical.
4. Fire brigade, Ambulance and all concerned team will rush to the accident site and start the operation immediately.
5. Attacking the Fire.

2.2 IMPORTANT PHONE NUMBERS IN CASE OF FIRE

a. FOR FIRE FIGHTING

Sl. No.	Designation	Phone No.
1.	Fire Control Room/RWP-Bela	9155001946, 61308
2.	Medical Helpline /First- Aid.	9771468305
3.	Chief Safety Officer/RWP	9771452190
4.	Factory Manager/RWP	9771468450
5.	AWM/PLG	9771461986
6.	DY. CME Casting/RWP	9771468415
7.	SSE/RT /RWP	9771452107
8.	Inspector/RPF	7541817272
9.	RPF Office /RWP	61142
10.	ASC/RPF	9771468700
11.	Factory Medical Officer/RWP	9771452171
13.	SSE MRS/DG	9771452122
14.	Welfare Inspector	6299072236
15.	Sonepur Fire Brigade(State Government)	102,7485806109,7485806108
16.	State Ambulance	112
17.	Civil Helpline/RWP	7643991329
18.	Electrical Helpline/RWP	7033195333
19.	LPG/IOCL Incharge/Patna	9434242924
20.	HSD/IOCL/Patna	9771450610
21.	Dy. Controller Explosives/Patna	9471994909

3.0 FLOOD

3.1 DEFINITION

Whenever there is a huge surge of water in the plant premises or colony area leading to one or more of the following situations, it will be deemed to be an emergency situation of flood:

- Breach of road or bridge and water flowing over the road.
- Possibility of breach of any of the dams.
- Any situation likely to cause or has caused damage to life and property due to water.

3.2 REPORTING

In case of any of the situation mentioned above, the person shall report to the CSO and Factory Manager. The CSO shall then inspect the affected area with the Factory Manager. If convinced about the seriousness of the situation shall report to the Occupier and Dy.CE.

3.3 PLAN OF ACTION

3.3.1 SETTING UP OF CONTROL ROOM

The control room will be setup in the chamber of Dy.CE. The AEN/Colony will be in charge of the control room. Dy. CME/WFPS will also man the control room and shall make available Emergency Vehicles, trucks, Utility Vehicles, Road cranes, bull-dozers etc for the rescue operations. In absence of Dy. CME/WFPS in station, AWM/WFPS shall man the control room. PRO will also be present in the control Room.

Control Room shall, based on gravity of the situation, seek help from civil authorities, NDRF, SDRF. It shall also maintain liaison with Railway Hospital for treatment of patients.

3.3.2 ROLE OF MEDICAL TEAM

ACMS/Sr.DMO shall co-ordinate the relief operation from medical side. He shall form two teams, one that goes to site with ambulances for first aid, and the second to remain in the polyclinics for treatment of patients brought in.

3.3.3. ROLE OF ELECTRICAL MAINTENANCE DEPTT.

Dy. CME/HQ, or, in this absence, AEE, shall be in the site with his team, and ensure power supply in the area is switched off to prevent electrocution. He shall also ensure that in case of any rescue operation in night time, the area is well illuminated with the help of DG sets.

3.3.4 ROLE OF CIVIL ENGG. DEPTT.

Dy. CE shall be available in the site along with his team, and in case of his absence, AEN should be available. They shall make all efforts to stop/restrict

the flow of water as possible, in order to bring the situation under control. They should also arrange all necessary materials like sand bags.

3.3.5 ROLE OF RPF

RPF Deptt. Shall

- Ensure the area is cordoned off.
- Restrict movement of vehicles in the danger area.
- Take part in the rescue operations and bring stranded people to safe place.

3.3.6 ROLE OF S&T

S&T shall also report to the site an ensure availability of PA system and walkie talkies in the site. He will also arrange announcement in the Colony/Plant, in order to make all residents aware of the location of the disaster, and warn them in this regard.

IMPORTANT PHONE NUMBERS IN CASE OF FLOODS.

Sl. No.	Organisation	Designation	Phone Number
1	SDRF/State Authority	District Disaster Management Officer/Saran	ADM/Saran/Disaster-9473191268
2		DM/Saran	06152-240001
3.		CO/Dariyapur	8544412876
4.		Police Station Dariyapur/Incharge	9431822428
5.	NDRF	9th Battalion ,Bihata - Control Room	8544415050
		Asst. Commandant	7723834919

Note: For assistance from In-house core disaster team, contact numbers are given in para 2.6 of DM Plan/RWP/Bela.

4.0 TERRORIST ACTIVITIES

4.1 DEFFINITION

A crisis regarding terrorist activity is defined as bomb blast, shooting/Killing, people taken hostage or may such activity carried out by disruptive elements with a view to endanger life and property of residents of RWP/Bela colony and disturb the peace and harmony of the region.

4.2 REPORTING

Any resident/ person can report the incident to RPF and Police Station.

4.3 PLAN OF ACTION

4.3.1 SETTING UP OF CONTROL ROOM

On receipt of the information and after verification of the incident by Inspector/RPF, Control Office shall start functioning in the chamber of ASC/RPF. In case due to any reason of the office of ASC is inaccessible, the Control Room Shall be set up in the chamber of RPF Inspector at Time Office.

The In charge of Control room shall apprise the Factory Manager/Occupier/CPRO/CAO/RWP regarding the Incident.

4.3.2 ROLE OF RPF

RPF shall reach the site immediately and take all possible action to bring the situation under control. They will also intimate the local police for assistance. They will cordon off the area and prevent entry of vehicle and people. They shall arrange necessary arrangement to cordon off any unidentified suspicious object.

They shall also organized announcement in the colony to warn the residents about the incident.

4.3.3 ROLE OF MEDICAL DEPARTMENT

ACMS shall report to the control room for assistance. A team of Doctors should be available in First-Aid and Polyclinics for attending to any injured person. The Ambulance shall move to the affected area on direction received from Control Room.

4.3.4 ROLE OF ASC

ASC shall ensure all residents of the area are apprised of the situation, and prevent a panic reaction. They shall also ensure peace in the area, and organize groups of people to patrol area till such time the situation comes under control.

Important Phone Number

SL. No	Designation	Phone No.
1.	Dariyapur Police Station	9431822428
2.	SP/Saran	9431822989
3.	DM/Saran	6152-240001, Mob - 9473191267
4.	Police Control Room/Saran	100, 9939254871(Marhaurha) 9006689078(Sonpur) 9431822428 (Dariyapur) 9431822424(Nayagoan) 9431822430 (Dighwara) 9431822436(Parsa)

5.0 Earthquake:

General Instructions:

1. All incharge will alert the staff to move to open and safe area and in case any staff trapped in the room due to obstruction in passage he should sit in the corner and protect their immediately with available means.
2. If possible Crawl under a sturdy desk, table or other piece of furniture for additional protection.
3. Stay away from glass, Windows, outside doors and walls and other items that could fall.
4. Hold on to any sturdy item until the shaking stops.

5.1 PLAN OF ACTION :

5.1.1 SETTING UP OF CONTROL ROOM

In case of earthquake, Dy.CE and AEN shall setup the control room in Admin Building Assembly Area.

5.1.2 ROLE OF CIVIL ENGG DEPTT

Dy.CE shall take a round of Plant premises/ Colony/Admin Building and apprise the control room of the extent of damage. Similarly, AEN/AWM/WM shall also take a round of the Factory and report the extent of damage to control Room. Civil Engg Deptt shall then start

rescue operation. In case of widespread damage, the AEN and IOW shall contact all the colony residents to assess the location requiring help on priority, and shall form teams of staff which will carry out the rescue operation in the priority areas. Dy.CE will arrange to clear the obstructions on passage for entrapped person with the help of core team.

5.1.3 ROLE OF ELECT. MAINTENANCE DEPTT.

Electrical Maintenance Deptt. shall make arrangement for lights in the affected area and also in the relief control room set up for the rescue. They should switch off electricity in the affected areas to ensure safety.

5.1.4 ROLE OF WELFARE DEPTT.

They shall assist the rescue operation and make a list of the injured persons and convey the same periodically to the control Room.

5.1.5 ROLE OF MEDICAL DEPTT

They will mobilize all resources under them and form two teams. One team of doctors shall be deputed in the affected area, and the second team shall be present in the Polyclinics to attend to the patients. If there are one more than one affected area, the required numbers of Team shall be formed so that maximum areas are covered immediately. ACMS shall coordinate for the same. He should tie up with outside hospitals/ agencies to seek their assistance, as required.

5.1.6 ROLE OF RT SHOP

RT Shop shall arrange for availability of trucks, cranes and bull dozers under their disposal for the rescue operation.

Important Contact Numbers in Case of Earthquake:

Sl. No.	Organisation	Designation	Phone Number
1.	SDRF/State Authority	Chief Secretary, Bihar	0612-2215804
2.		District Disaster Management Officer/Saran	ADM/Saran/Disaster-9473191268
3.		DM/Saran	06152-240001 Mob - 9473191267
4.		CO/Dariyapur	8544412876

5.		Police Station Dariyapur/Incharge	9431822428
6.	NDRF	9th Battalion ,Bihata - Control Room	8544415050
		Asst. Commandant	7723834919

6.0 WILD ANIMAL STRAYING

6.1 DEFINITION

Any situation in which a wild animal is seen inside or in the immediate vicinity of the Colony, and poses a threat of life and property in large numbers should be treated as an emergency situation

6.2 REPORTING

Any resident seeing the animal will report to RPF control Room.

After verification of the threat, the situation will be treated as an emergency.

6.3 PLAN OF ACTION

6.3.1 SETTING UP OF CONTROL ROOM

A control room will be set up immediately in the chamber of ASC/Bela.

If needed, ASC will also take precautionary measures like declaring the schools, markets, colonies closed.

ACMS shall intimate the veterinary doctors also if needed.

6.3.2 ROLE OF RPF

RPF staff shall track the wild animals, and apprise the control room of its location periodically. They will also cordon off the affected area and stop vehicular traffic if needed. They will also take all possible steps to ensure any loss of life or property to be minimized. This will include effective crowd control measures, announcement through various media. To ensure that people individually or in groups do not collect near the scene of sighting/movements of the wild animal.

6.3.3 ROLE OF MEDICAL DEPTT

A team of doctors should be presents in the polyclinic for treating any injuries. Another team shall be located nearby site to give first aid to any injured person.

6.3.4 ROLE OF ELECTRICAL MAINTANANCE DEPTT

They shall arrange for lights if the rescue operations are continued at night also.

6.3.5 IMPORTANT PHONE NUMBERS

SL. No	Designation	Phone No.
1.	Principal Chief Conservator of Forrest/Patna	0612-2220125(O) 9661177777 (M)
3.	DFO/Saran	06152-232660 Mobile- 9445146757
4.	DFO/Vaishali	Mobile- 7840883251

7.0 OTHER IMPORTANT PHONE NUMBER

NATIONAL DISASTER MANAGEMENT AUTHORITY

National Disaster Management Authority
NDMA Bhawan, A-1, Safdarjung Enclave, New Dhlhi-110029

Phone:	011-26701700
Control Room:	011-1078, 011-26701728
Fax:	011-26701729
E-mail:	controlroom@ndma.gov.in

ECR Control No.

Chief Controller /Traffic/HJP		9771463925
Chief Controller (Coaching) HJP	025 / 24206, 24268	9771469925
Chief Controller /Engg/HJP	025/24214,22878	9771425230
Chief Controller/Traffic/ Sonpur		9771429782
Chief Controller (Coaching) Sonpur	025 / 62516, 62517	9771429936
Chief Controller (Engg) Sonpur		9771429243

ANNEXURE-A

AWARENESS ABOUT RWP'S DISASTER MANAGEMENT PLAN

This is to certify that I have gone through the Disaster Management plan, Revision ....., and have understood its content fully.

Name :

Designation :

Control No :

Date :

Signature

ANNEXURE-B

LIST OF ITEMS FOR DISASTER MANAGEMENT

SN	Item	Qty Available	Custodian
1.	Nylon Rope	04 Bundle	RPF
2.	Luminous Jacket	40 Nos.	Fire Fighting Team
3.	Folding Stretchers	06No	Medical Team
4.	Still Camera	01 No	CPRO
5.	Video Camera	01 Nos.	CPRO
6.	Hammer	06 Nos.(Sledge Hammer-3.2 Kg)	Mechanical Maint.
		04 Nos.(Hand Hammer ball Pane)	Mechanical Maint.
7.	Loud Hailer	03 Nos.	RPF
8.	First Aid Box	03 Nos.	Medical
9.	Gum Boots	10 Nos.	Fire Fighting Team
10	Helmets	30 Nos.	Fire Fighting Team
11.	Barricading Pole	20 Nos	RPF
12.	Folding Plastic Chair	20 Nos	SWI
13.	Folding Plastic Table	10 Nos	SWI
14.	Dragon Search Light	04 Nos	RPF
15.	Portable DG(3 kVA)	03 Nos	Electrical
16.	Lighting arrangement Set	03 Set	Electrical
17.	LED torches	10 Nos	Electrical
18.	Gas Leak Detector	02 Nos	Utility
19.	Fire Fighting Suit	02 Nos	Fire Fighting Team
20.	Self-Contained breathing apparatus	02 Nos	Fire Fighting Team

21.	Fire Blanket	10 Nos	Fire Fighting Team
22.	Safety Shoes(Different Sizes	40 Nos	Fire Fighting Team
23	Dust Respirator	40 Nos	Fire Fighting Team
24.	Aluminium Suit	02 Set	Rescue Team
25.	Face Shield Glass	06 Nos	Rescue Team
26.	Leather Hand Gloves	10 Nos	Rescue Team
27.	Fire Retardant Cotton Wear(Jacket and Trouser)	05 Pair	Rescue Team

Note: All in house disaster team should rush to the accident site along with their equipment listed above.

END