

## LIST OF PURCHASE ORDERS

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
1	<a href="#">90178230141001</a> dt.02-JAN-18 on M/s.SURYA TECHNOLOGIES-BANGALORE <a href="#">RITES-CALL</a>	73632.00 (FP)	7216N469	MASTER TEMPLATE SUITABLE FOR BGC & BOX N FORM TOOLS. SPECIFICATION:- 1. MASTER TEMPLATE SUITABLE FOR BGC COPE FORM TOOL (COPE FORM TOOL DRAWING NO. C/TL-7/10, SH. 2/2, ALT D), QTY.: 01 NO. 2. MASTER	001	SSE/M/ToolRoom/RWP	1 Set	0	12-MAR-18	0
2	<a href="#">90178522141002</a> dt.02-JAN-18 on M/s.ELEX ENGINEERING-MUZAFFARPUR <a href="#">RITES-CALL</a>	41772.00 (FP)	7090N674	ABRASIVE GRINDING WHEEL 4 INCH 100 X 6 X 16 MM MODEL NO. A24SB MAKE GRINDWELL NORTON LTD. OR SIMILAR. (FOR GRINDING MACHINE). ACCEPTED MAKE:-NORTON/A24SB.	001	SSE/M/M/Mo Shop/RWP	600 Nos.	0	06-FEB-18	0
			7090N676	ABRASIVE GRINDING WHEEL 7 INCH 180 MM MODEL NO. A24SB MAKE GRINDWELL NORTON LTD. OR SIMILAR. (FOR GRINDING MACHINE). ACCEPTED MAKE:-NORTON/A24SB.	002	SSE/M/M/Mo Shop/RWP	200 Nos.	0	06-FEB-18	0
3	<a href="#">90178486141003</a> dt.02-JAN-18 on M/s.TOOLS BEARING SYNDICATE-KOLKATA <a href="#">RITES-CALL</a>	18408.00 (FP)	6690N252	PILLOW BLOCK COMPLETE SET WITH BEARING PART NO. SY J50TF (FOR SAND DISPENSER). ACCEPTED DESCRIPTION: PILLOW BLOCK COMPLETE SET WITH BEARING - UCP210 MAKE-FAG.	001	SSE/M/M/Mo Shop/RWP	8 Nos.	0	12-FEB-18	0
4	<a href="#">90178209141004</a> dt.02-JAN-18 on M/s.SURYA TECHNOLOGIES-BANGALORE <a href="#">RITES-CALL</a>	24969.00 (FP)	7216N466	BG COACHING WHEEL COPE PLATE PROFILE GAUGE AS PER ATTACHED DRAWING NO. C/GA-7/16, SH. 1/1 ALT A.	001	SSE/M/ToolRoom/RWP	2 Nos.	0	12-MAR-18	0
5	<a href="#">90178440141005</a> dt.02-JAN-18 on M/s.RAYCO ELECTRO ENTERPRISE-KOLKATA <a href="#">RITES-CALL</a>	19777.00 (FP)	6690N273	GROUP CONTROL SWITCH [LOWER- AUTO- RAISE], 25A, 660V AC MODEL NO-BC251P10184YY94 OF RECOM. OR SIMILAR TO RECOM IN ALL RESPECT. MAKE-RECOM./L AND & T/C AND & S ONLY. ACCEPTED MAKE:-RECOM Cat No. BC251	001	SSE/Elec/Control/RWP	4 Nos.	0	12-APR-18	0
6	<a href="#">LP178061141006</a> dt.02-JAN-18 on M/s.TECHTRONICS-BANGALORE <a href="#">RITES-CALL</a>	23600.00 (FP)	6396N318	DOOR PULLEY WITH BUSH AS PER RWF DRG. NO. 712210510370. ACCEPTED MAKE:-SELF.	001	SSE/M/M/WFPS/RWP	2 Nos.	0	15-MAR-18	0
7	<a href="#">90178467141007</a> dt.02-JAN-18 on M/s.PODDER TRADING AND INDUSTRIES-KOLKATA <a href="#">RITES-CALL</a>	79296.00 (FP)	8490N708	SMOKE COLOUR SAFETY EYE WEAR, DESCRIPTION-1. MATERIAL- POLY CARBONATE 2. LENS COLOURS- SMOKED. 3. OPTICAL CLASS-1, 4- LENS- SCRATCH RESISTANCE, 5. CONFIRM TO EN 166:2000 AND ANSI Z 87.1-2010, 6. MAKE-	001	SSE/Mech/MS/RWP	1400 Nos.	0	12-FEB-18	0
8	<a href="#">01176182141008</a> dt.04-JAN-18 on M/s.INDIAN OIL CORPORATION LTD.-PATNA <a href="#">RITES-CALL</a>	144715.00 (FP)	8009N266	SERVO PRIDE XL 15 W 40, OR HP MILKY POWER 15 W 40 OR MAK PLATINUM 15 W 40. MAKE-IOCL, BPCL, HPCL. BALMER LAWRIE & CO. LTD, KOLKATA-700088. Accepted Make/Brand-SERVO.	001	SSE/M/RTShop/RWP	840 LTR	0	25-JAN-18	0
9	<a href="#">01176186141009</a> dt.04-JAN-18 on M/s.REPUTE MARKETING AGENCY-AHMEDABAD <a href="#">RITES-CALL</a>	297950.00 (FP)	8590N655	LINEAR BLOCK BEARING FOR SPG X- AXIS MODEL NO. R185152310 MAKE REXROTH OR KHK OR NACHI JAPAN OR SKF OR MTAR.	001	SSE/M/M/Mo Shop/RWP	10 Nos.	0	05-MAR-18	0
10	<a href="#">90178301141010</a> dt.05-JAN-18 on M/s.TESTING INSTRUMENTS MANUFACTURING COMPANY PRIVATE LIMITED-KOLKATA <a href="#">RITES-CALL</a>	55460.00 (FP)	8331N003	SHIVE SHAKER WITH SIEVE SET AS PER ATTACHED SPECIFICATION NO. RWP/CMT LAB./SS-17	001	CMS/MET.LAB/RWP	1 Nos.	0	04-FEB-18	0

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
11	<a href="#">90178377141011</a> dt.06-JAN-18 on M/s.GANTAVY ENTERPRISES-BHADOHI <a href="#">RITES-CALL</a>	64871.00 (FP)	6690N137	THERMOCOUPLE ELEMENT "N" TYPE, TYPE: SIMPLEX UNGROUNDED, HEAD: DIE CAST ALUMINIUM. IP-67 TERMINAL & CERAMIC BLOCK, CABLE ENTRY: 1/2" NPT(F) WITH CABLE GLAND, STANDARD: CALL: ANSI MC 96.1, INSULATION:	001	SSE/Elect/MS/M/RWP	30 Nos.	0	28-FEB-18	0
12	<a href="#">90178516141012</a> dt.06-JAN-18 on M/s.SUNNY ENGINEERS AND ASSOCIATES-HOOGHLY <a href="#">RITES-CALL</a>	24461.00 (FP)	6690N103	TENDERED DESCRIPTION:- INDUCTION MOTOR FOR RADIAL DRILLING MACHINE, TYPE AM KW112 M 4/2, IP-55, CDF-60% PERCENT, 8.1/9.6 AMP., 3.6/4.6/4.8/6.1 KW/HP, 1440/2890 RPM, DUTY: S5, INSULATION CLASS: F, 3-fi,	001	SSE/WFPS/ELECTRICAL	1 Nos.	0	15-MAR-18	0
13	<a href="#">01176207141013</a> dt.10-JAN-18 on M/s.CERATIZIT INDIA PVT.LTD-KOLKATA <a href="#">RITES-CALL</a>	103250.00 (FP)	7233N262	CLAMPING SCREW SIZE 4 MM FOR CNC/VTL TOOL HOLDER PRDCN 4040 S25 WITH WIDIA PART NO. 21485625 (2019051) OR CERATIZIT PART NO. S 000432/S (154576) OR SIMILAR PREFERABLE MAKE- WIDIA/ CERATIZIT/ TUNGALOY/	001	SSE/M/WFPS/RWP	350 Nos.	0	09-FEB-18	0
14	<a href="#">01176148141014</a> dt.10-JAN-18 on M/s.PODDER TRADING AND INDUSTRIES-KOLKATA <a href="#">RITES-CALL</a>	264320.00 (FP)	7931N712	FIRE RETARDANT 100% COTTON WORK WEAR WITH FOLLOWING SPECIFICATION, MATERIAL: 100% FLAME RETARDANT COTTON FLAME RETARDANT TREATMENT, STYLE: JACKET AND PANT (WITH REFLECTIVE TAPE), WEIGHT: RANGE OF 300	001	SSE/Mech/MS/RWP	160 Set	0	10-MAY-18	0
15	<a href="#">90178158141015</a> dt.10-JAN-18 on M/s.AGROMACH SPARES CORPORATION-MUMBAI <a href="#">RITES-CALL</a>	54162.00 (FP)	6690N385	PRESSURE SWITCH, MODEL NO. HED80A16/100Z14, NEW PART NO. HED80A1X/100K14, MAKE: REXROTH OR EQUIVALENT TO EATON OR PARKER ONLY. ACCEPTED MAKE:-BOSCH REXROTH.	001	SSE/M/M/Mo Shop/RWP	2 Nos.	0	28-MAY-18	0
			6690N386	THROTTLE VALVE AND CHECK VALVE, MAKE:-REXROTH OR EATON OR PARKER ONLY.SPECIFICATION AS FOLLOWING:-[1].THROTTLE CHECK VALVE MODEL NO. Z2FS6-2-4X/2QV, QTY.- 02No., MAKE REXROTH. [2]. PRESSURE REDUCING V	002	SSE/M/M/Mo Shop/RWP	1 Set	0	28-MAY-18	0
16	<a href="#">90178505141016</a> dt.10-JAN-18 on M/s.ADDISON AND CO LTD-SRIPERUMPUDHUR <a href="#">RITES-CALL</a>	44775.00 (FP)	7208N477	SOLID CARBIDE STRAIGHT SHANK DRILLS, JOBBER SERIES:- MICRO GRAIN SOLID CARBIDE STRAIGHT SHANK DRILLS, JOBBER SERIES, CONFORM TO IS: 5101. DIFFERENT DIA. SIZES AND QUANTITIES MENTIONED IN ANNEXURE-1 (E	001	SSE/M/ToolRoom/RWP	1 Set	0	22-MAY-18	0
17	<a href="#">90178315141017</a> dt.10-JAN-18 on M/s.ELEX ENGINEERING-MUZAFFARPUR <a href="#">RITES-CALL</a>	23189.00 (FP)	6704N211	PNEUMATIC OPERATED GREASE GUN, PRESSURE RATIO 50:1, WORKING PRESSURE RANGE OF AIR 3-6 KG/CM2, NORMAL BLOCK PRESSURE 425KG/CM2, OUTPUT @6KG/CM2 DRUM CAPACITY-50 KGS. MOUNTED ON WHEELS, MAKE- ELGI OR SI	001	SSE/M/RTShop/RWP	1 Nos.	0	15-MAR-18	0
18	<a href="#">90178223141018</a> dt.11-JAN-18 on M/s.SRI PRAKASH INDUSTRIALS CORPORATION-KOLKATA <a href="#">RITES-CALL</a>	25488.00 (FP)	6690N354	V BELT WITH MODEL NO-SPB3350 OF MAKE- FENNER OR SIMILAR. ACCEPTED MAKE:- HILTON.	001	SSE/M/M/WFPS/RWP	32 Nos.	0	23-FEB-18	0
19	<a href="#">02176348141019</a> dt.12-JAN-18 on M/s.NEW KESSLER ENGINEERING PRIVATE LIMITED-MUMBAI <a href="#">RITES-CALL</a>	189000.00 (FP)	6690N603	PILLOW BLOCK MODEL NO. ZA2208F MAKE REXNORD OR PILLOW BLOCK MODEL NO. 069576 (4PB-1P-208LE) MAKE DODGE OR PILLOW BLOCK MODEL NO. XSE2P413-40 MAKE FYH. [ACCEPTED MAKE & MODEL NO: DODGE,	001	SSE/M/M/Mo Shop/RWP	8 Nos.	0	13-MAR-18	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
20	<a href="#">90178471141020</a> dt.15-JAN-18 on M/s.MANIKS-PUNE <a href="#">RITES-CALL</a>	37217.00 (FP)	6610N493	PULSE VALVES OF MANIKS, PUNE MEP-114 TYPE OR SIMILAR, THREAD SIZE-1 1/2" BSP, OTHER DIMENSIONS AS PER ATTACHED DRAWING.	001	SSE/M/M/WFPS/RWP	10 Nos.	0	26-FEB-18	0
21	<a href="#">90178447141021</a> dt.16-JAN-18 on M/s.VB ENGINEERS-NASHIK <a href="#">RITES-CALL</a>	48312.00 (FP)	6690N626	LOCKING ASSEMBLY MODEL NO. RFN7012-30X55, MAKE RINGFEDER OR LOCKING ASSEMBLY MODEL NO. BI0630XX55, MAKE FENNER	001	SSE/M/M/Mo Shop/RWP	4 Nos.	0	26-FEB-18	0
			6690N627	LOCKING ASSEMBLY MODEL NO. RFN7012-32X60, MAKE RINGFEDER OR LOCKING ASSEMBLY MODEL NO. BI0632XX60, MAKE FENNER	002	SSE/M/M/Mo Shop/RWP	4 Nos.	0	26-FEB-18	0
			6690N628	LOCKING ASSEMBLY MODEL NO. RFN7012-35X60, MAKE RINGFEDER OR LOCKING ASSEMBLY MODEL NO. BI0635XX60, MAKE FENNER	003	SSE/M/M/Mo Shop/RWP	4 Nos.	0	26-FEB-18	0
			6690N629	LOCKING ASSEMBLY MODEL NO. RFN7012-40X65, MAKE RINGFEDER OR LOCKING ASSEMBLY MODEL NO. BI0640X65, MAKE FENNER	004	SSE/M/M/Mo Shop/RWP	6 Nos.	0	26-FEB-18	0
			6690N630	LOCKING ASSEMBLY MODEL NO. RFN7012-50X80, MAKE RINGFEDER OR LOCKING ASSEMBLY MODEL NO. BI0650X80, MAKE FENNER	005	SSE/M/M/Mo Shop/RWP	3 Nos.	0	26-FEB-18	0
22	<a href="#">90178399141022</a> dt.16-JAN-18 on M/s.HYDRAX INTERNATIONAL-KOLKATA <a href="#">RITES-CALL</a>	50314.00 (FP)	6690N618	HYDRAULIC HOSE SUITABLE FOR 5000PSI WORKING WITH OUTSIDE SS WIRE BRAIDED LENGTH 3 MTRS WITH 3/8 INCH BOTH SIDE BSP FEMALE END FITTING MAKE: PARKER OR EATON OR GATES OR SONI RUBBER. ACCEPTED MAKE: GAT	001	SSE/M/M/Mo Shop/RWP	2 Nos.	0	06-MAR-18	0
			6690N619	HYDRAULIC HOSE SUITABLE FOR 5000PSI WORKING WITH OUTSIDE SS WIRE BRAIDED LENGTH 3 MTRS WITH 1/2 INCH BOTH SIDE BSP FEMALE END FITTING MAKE: PARKER OR EATON OR GATES OR SONI RUBBER. ACCEPTED MAKE: GATE	002	SSE/M/M/Mo Shop/RWP	4 Nos.	0	06-MAR-18	0
			6690N620	HYDRAULIC HOSE SUITABLE FOR 5000PSI WORKING WITH OUTSIDE SS WIRE BRAIDED LENGTH 3 MTRS WITH 3/4 INCH BOTH SIDE BSP FEMALE END FITTING MAKE: PARKER OR EATON OR GATES OR SONI RUBBER. ACCEPTED MAKE: GATE	003	SSE/M/M/Mo Shop/RWP	2 Nos.	0	06-MAR-18	0
			6690N621	HYDRAULIC HOSE SUITABLE FOR 5000PSI WORKING WITH OUTSIDE SS WIRE BRAIDED LENGTH 3 MTRS WITH 1 INCH BOTH SIDE BSP FEMALE END FITTING MAKE: PARKER OR EATON OR GATES OR SONI RUBBER. ACCEPTED MAKE: GATES.	004	SSE/M/M/Mo Shop/RWP	3 Nos.	0	06-MAR-18	0
			6690N622	HYDRAULIC HOSE SUITABLE FOR 5000PSI WORKING WITH OUTSIDE SS WIRE BRAIDED LENGTH 3 MTRS WITH 1.25 INCH BOTH SIDE BSP FEMALE END FITTING MAKE: PARKER OR EATON OR GATES OR SONI RUBBER. ACCEPTED MAKE: GAT	005	SSE/M/M/Mo Shop/RWP	1 Nos.	0	06-MAR-18	0
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;										

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
			6690N623	HYDRAULIC HOSE SUITABLE FOR 5000PSI WORKING WITH OUTSIDE SS WIRE BRAIDED LENGTH 3 MTRS WITH 1.50 INCH BOTH SIDE BSP FEMALE END FITTING MAKE: PARKER OR EATON OR GATES OR SONI RUBBER. ACCEPTED MAKE: GAT	006	SSE/M/M/Mo Shop/RWP	1 Nos.	0	06-MAR-18	0
23	<a href="#">90178510141023</a> dt.16-JAN-18 on M/s.HYDRO CARE FLUID POWER SYSTEMS-BANGALORE <a href="#">RITES-CALL</a>	74705.00 (FP)	6690N667	SEAL KIT FOR PNEUMATIC CYLINDER MODEL NO. P1DS100MDE0320 OF COPE AND DRAG CLEANER, SEAL KIT MODEL NO. P1D-6QRN MAKE-PARKER.	001	SSE/M/M/Mo Shop/RWP	3 Nos.	0	20-JUN-18	0
			6690N668	SEAL KIT FOR PNEUMATIC CYLINDER OF COPE AND DRAG CLEANER, SEAL KIT MODEL NO. RG2AHL131 MAKE- PARKER.	002	SSE/M/M/Mo Shop/RWP	3 Nos.	0	20-JUN-18	0
			6690N669	SEAL KIT FOR PNEUMATIC CYLINDER OF COPE AND DRAG CLEANER, SEAL KIT MODEL NO. RK2AHL131 MAKE- PARKER.	003	SSE/M/M/Mo Shop/RWP	3 Nos.	0	20-JUN-18	0
			6690N670	SEAL KIT FOR PNEUMATIC CYLINDER OF COPE AND DRAG CLEANER, SEAL KIT MODEL NO. PK6002A001 MAKE- PARKER.	004	SSE/M/M/Mo Shop/RWP	3 Nos.	0	20-JUN-18	0
24	<a href="#">01176012141024</a> dt.16-JAN-18 on M/s.OM ENTERPRISES-PATNA <a href="#">RITES-CALL</a>	64192.00 (FP)	4090N018	ARMOURED POWER COPPER CABLE MULTISTRAND, XLPE INSULATED, 4 CORE 16 SQ. MM., 1.1 KV GRADE AS PER IS 7098 [PART 1] 1988. Accepted Make-Havells	001	SSE/WFPS/ELECTRICAL	100 MTR	0	15-FEB-18	0
25	<a href="#">02176388141025</a> dt.17-JAN-18 on M/s.H A R ENGINEERING TRADERS-ITARSI <a href="#">RITES-CALL</a>	18585.00 (FP)	6690N644	CASTER WHEEL ASSEMBLY FOR TURN TABLES OF MOULD ROOM CONVEYOR AS PER DRAWING NO. 75207141010010.	001	SSE/M/M/Mo Shop/RWP	6 Nos.	0	18-MAR-18	0
26	<a href="#">90178525141026</a> dt.17-JAN-18 on M/s.INDUSTRIAL SOLUTION-HAJIPUR <a href="#">RITES-CALL</a>	21000.00 (FP)	7990N507	COLOUR BANYAN CLOTH SIZE NOT LESS THAN ONE FEET X ONE FEET (FINE QUALITY) FOR CLEANING OF MACHINE PART AND HYDRAULIC COMPONENT.	001	SSE/M/M/WFPS/RWP	500 Kgs.	0	16-FEB-18	0
27	<a href="#">90178508141027</a> dt.20-JAN-18 on M/s.C.H. LEE-KOLKATA <a href="#">RITES-CALL</a>	49088.00 (FP)	7305N077	HEX BOLT M20 X 280 WITH NUTS AND SPRING WASHERS. HIGH TENSILE HEX HEADED BOLTS WITH NUTS (EACH SET CONSISTS OF ONE BOLT, TWO NUTS AND TWO SPRING WASHERS). SIZE NO. M20 X 2.5 (PITCH) X 280 MM LONG X 1	001	SSE/M/Mold Shop/RWP	400 Set	0	30-APR-18	0
28	<a href="#">90178461141028</a> dt.20-JAN-18 on M/s.EAST INDIA AUTOMATION AND CONTROL PVT LTD-KOLKATA <a href="#">RITES-CALL</a>	30628.00 (FP)	6690N099	SINUMERIK BATTERY FOR NCU, MODEL NO. MLFB NO. 6FC 5247-0AA18-0AA0. MAKE- SIEMENS.	001	SSE/WFPS/ELECTRICAL	8 Nos.	0	30-JUN-18	0
29	<a href="#">90178539141029</a> dt.20-JAN-18 on M/s.EAST INDIA AUTOMATION AND CONTROL PVT LTD-KOLKATA <a href="#">RITES-CALL</a>	46385.00 (FP)	6690N190	SINUMERIK 802D/810D/840D PC CARD TO STANDARD PCMCIA, STRATA, 8MB (BLANK) MLFB: 6FC5247-0AA11-0AA3 OF SIEMENS.	001	SSE/Elect/MS/M/RWP	1 Nos.	0	12-JUN-18	0
30	<a href="#">90178453141030</a> dt.23-JAN-18 on M/s.PODDER TRADING AND INDUSTRIES-KOLKATA <a href="#">RITES-CALL</a>	59472.00 (FP)	7590N707	CLEAR SAFETY GLASS. CLEAR SAFETY EYE WEAR. DESCRIPTION-[1]. MATERIAL- POLY CARBONATE. [2]. LENS COLOURS- CLEAR. [3]. OPTICAL CLASS-1, [4]. LENS SCRATCH RESISTANCE. [5].. CONFIRM TO EN 166:2000 AND AN	001	SSE/Mech/MS/RWP	600 Nos.	0	08-MAR-18	0
			7590N709	SAFETY GLASS FOR SPECTACLES DESCRIPTION OF SAFETY EYE WEAR TO THOSE WHO CANNOT DIRECTLY PUT ON A SAFETY EYEWEAR, AS THEY HAVE TO WEAR PRESCRIPTION SPECTACLES:- [1]. TYPE- OVER THE SPECTACLES SAFETY EY	002	SSE/Mech/MS/RWP	300 Nos.	0	08-MAR-18	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
31	<a href="#">90178549141031</a> dt.24-JAN-18 on M/s.TOOLS BEARING SYNDICATE-KOLKATA <a href="#">RITES-CALL</a>	27848.00 (FP)	6690N511	SET OF ROLLER BEARING WITH PLUMBER BLOCK CONSISTING OF BLOCK, ADAPTOR SLEEVE LOCATING RING OF MAKE SKF OR SIMILAR. SPECIFICATION AS FOLLOWING:- [1].BEARING-22215 EK OF MAKE-SKF OR SIMILAR, QTY.-01NO.,	001	SSE/M/M/WFPS/RWP	4 Set	0	06-MAR-18	0
32	<a href="#">02176249141032</a> dt.24-JAN-18 on M/s.TRIDENT PNEUMATICS PVT LTD-COIMBATORE <a href="#">RITES-CALL</a>	119378.00 (FP)	6690N601	DIRECTION CONTROL VALVE MODEL NO. 146BA43AK000030, MAKE- NUMATICS.	001	SSE/M/M/Mo Shop/RWP	1 Nos.	0	04-APR-18	0
33	<a href="#">02176341141033</a> dt.24-JAN-18 on M/s.SAGE ASSOCIATES.-KOLKATA <a href="#">RITES-CALL</a>	199019.00 (FP)	6610N462	Gas Governor for LPG pipe line of NF & DF: GAS GOVERNOR PART NO KS86050011, VGBF 80F40-3Z OF MAKE: HONEYWELL.	001	SSE/M/M/WFPS/RWP	1 Nos.	0	18-APR-18	0
			6610N463	Gas Pressure Switch for LPG pipe line of NF & DF: GAS PRESSURE SWITCH PART NO. KS84447550 SWITCH, PRESSURE GAS, DG500U-3, 100-500 MBAR, IP54 MAX 600 MBAR, Make:HONEYWELL.	002	SSE/M/M/WFPS/RWP	2 Nos.	0	18-APR-18	0
34	<a href="#">01176205141034</a> dt.24-JAN-18 on M/s.KUSUM ENGINEERING CORPORATION-HOWRAH <a href="#">RITES-CALL</a>	83186.00 (FP)	7390N709	CASTLE NUT FOR FRC OF CHO & DHO AS PER DRG NO. FRC/MMR/01.	001	SSE/M/M/Mo Shop/RWP	300 Nos.	0	23-FEB-18	0
35	<a href="#">02176337141035</a> dt.27-JAN-18 on M/s.KUSUM ENGINEERING CORPORATION-HOWRAH <a href="#">RITES-CALL</a>	127440.00 (FP)	6610N460	TURBINE FLOW METER WITH FOLLOWING DESCRIPTION, FLOW RANGE- 450 TO 4500 LPM, MAX TEMPERATURE- 150 DEGREE C, BODY- SS 316, FLANGE-A 105, ROTOR- ANC 21, END CONNECTION-4 "OF MAKE ROCKWIN OR SIMILAR.	001	SSE/M/M/WFPS/RWP	1 Nos.	0	28-MAR-18	0
36	<a href="#">02176422141036</a> dt.27-JAN-18 on M/s.UNIQUE FABRICATORS CORPORATION-KOLKATA <a href="#">RITES-CALL</a>	236000.00 (FP)	6690N265	WATER COOLED SLAG DOOR FRAME PANEL AS PER SPECIFICATION ATTACHED IN ANNEXURE-A.	001	SSE/M/MMS/RWP	2 Nos.	0	27-MAY-18	0
37	<a href="#">90178500246001</a> dt.29-JAN-18 on M/s.Durga Army General Stores, Ganga Nagar <a href="#">RITES-CALL</a>	43750.00 (FP)	4290N156	OKAYA SMF 12V7.2AH 12M (OKAYA) (OKAYA SMF OB 7,2 AH-12 12M) OR SIMILAR.	001	SSE/IT/RWP	50 Nos.	0	21-JAN-18	0
38	<a href="#">90178528141037</a> dt.30-JAN-18 on M/s.KUSUM ENGINEERING CORPORATION-HOWRAH <a href="#">RITES-CALL</a>	42714.00 (FP)	4690N284	MCCB, THERMAL RELEASE RANGE 500-630A, BREAKING CAPACITY 36KA, 3 MODEL NO.:- DN3-630D CAT NO.:CM940060OOT10G. AS PER DIMENSIONAL DRAWING ATTACHED. MAKE- L AND & T OR EQUIVALENT IN ABB, SIEMENS, SCHEIDE	001	SSE/Elect./RWP	2 Nos.	0	19-MAR-18	0
39	<a href="#">90178526141038</a> dt.30-JAN-18 on M/s.OM ENTERPRISES-PATNA <a href="#">RITES-CALL</a>	74900.00 (FP)	5290N291	SUPPLY, INSTALLATION, TESTING & COMMISSIONING OF PORTABLE PUBLIC ADDRESS SYSTEM AS PER TECHNICAL SPECIFICATION ATTACHED AT ANNEXURE- 'A'. CONNECTIVITY FEATURE-WIRELESS, BUILT IN USB/HD FEATURE WITH, D	001	SSE/Elect./RWP	1 Set	0	14-MAR-18	0
40	<a href="#">90178394141039</a> dt.30-JAN-18 on M/s.INDUSTRIAL SOLUTION-HAJIPUR <a href="#">RITES-CALL</a>	25134.00 (FP)	6690N612	BLUE POINT MAKE AIR PENCIL DIE GRINDER MODEL NO. AT1054B SPEED 54000 RPM, POWER 0.15HP, AIR CONSUMPTION: CFM2.1, AIR INLET THREAD SIZE INCHES 1/4 INCH X 18 NPT OR EQUIVALENT IN BOSCH DIE GRINDER. ACCE	001	SSE/M/M/Mo Shop/RWP	3 Nos.	0	12-MAR-18	0

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
41	<a href="#">01176127141040</a> dt.30-JAN-18 on M/s.SHREE JAGDAMBA ENGINEERING-NEW DELHI <a href="#">RITES-CALL</a>	193520.00 (FP)	4690N267	MCCB AS PER ANNEXURE 'B' OF MAKE- L&T OR EQUIVALENT IN ABB SIEMENS, SCHNEIDER, BCH IN ALL RESPECT (ONLY). Accepted Make/Brand-L&T	001	SSE/Elect./RWP	1 Set	0	01-MAR-18	0
42	<a href="#">90178524246002</a> dt.30-JAN-18 on M/s.System Electronics Enterprises, New Delhi <a href="#">RITES-CALL</a>	63120.00 (FP)	4690N283	SEALED MAINTENANCE FREE VRLA BATTERIES, 12V, 200AH, POWER SAFE TYPE EP-200-12, FREE FROM ORIENTATION CONSTRAINTS, ECO FRIENDLY EASY HANDLING. MAKE- EXIDE, AMRON MICROTECH. ACCEPTED MAKE:OKAYA SMF BATTE	001	SSE/Elect./RWP	4 Nos.	0	20-JAN-18	0
43	<a href="#">90178502246003</a> dt.30-JAN-18 on M/s.PRO IT SOLUTIONS, DELHI <a href="#">RITES-CALL</a>	31000.00 (FP)	4290N158	D-LINK 305 MTR LAN CABLE CAT 6 (DLINK) (D-LINK 305MTR LAN CABLE CAT 6) OR SIMILAR. ACCEPTED MODEL:-CAT6 UTP 23AWG.	001	SSE/IT/RWP	5 Nos.	0	14-FEB-18	0
44	<a href="#">01176192141041</a> dt.31-JAN-18 on M/s.ELEX ENGINEERING-MUZAFFARPUR <a href="#">RITES-CALL</a>	107616.00 (FP)	9040N677	MS PLATE SIZE 06MM X1250MM X 2500MM AS PER IS 2062:2011 AND GRADE E250B (FOR BAKING PAD)	001	SSE/M/M/Mo Shop/RWP	12 Nos.	0	02-MAR-18	0
45	<a href="#">02176350141042</a> dt.31-JAN-18 on M/s.KILNCERA-FARIDABAD <a href="#">RITES-CALL</a>	467634.00 (FP)	6690N046	MOULD HOLDING OVEN HEATING ELEMENT AS PER OUR DRAWING NO. WAP/EL/SK/848R2 ( COPY ENCLOSED).	001	SSE/Elect/MS/M/RWP	100 Nos.	0	01-APR-18	0
46	<a href="#">90178416141043</a> dt.31-JAN-18 on M/s.ALLIED COMMERCIAL AGENCIES PRIVATE LIMITED-PATNA <a href="#">RITES-CALL</a>	18012.00 (FP)	6690N086	TENDER DESCRIPTION:-MAG. CONTACTOR, 40A, 120V, 50HZ, PART NO. 3RT1035-1AK60 OF SIEMENS. MAKE: SIEMENS OR EQUIVALENT IN ALL RESPECT. ACCEPTED DESCRIPTION:- MAG. CONTACTOR, 40A, 110V, 3RT1035-1AG20 OF	001	SSE/WFPS/ELECTRICAL	4 Nos.	0	12-APR-18	0
47	<a href="#">90178416141044</a> dt.31-JAN-18 on M/s.EAST INDIA AUTOMATION AND CONTROL PVT LTD-KOLKATA <a href="#">RITES-CALL</a>	3828.00 (FP)	6690N087	RELAY, 4 NO, 120V, 50HZ, PART NO. 3RH1140-1AK60 OF SIEMENS. MAKE: SIEMENS OR EQUIVALENT IN ALL RESPECT. ACCEPTED MAKE: SIEMENS.	001	SSE/WFPS/ELECTRICAL	4 Nos.	0	12-APR-18	0
48	<a href="#">90178552141045</a> dt.31-JAN-18 on M/s.LMG HYDRO PNEUMATICS-KOLKATA <a href="#">RITES-CALL</a>	11598.00 (FP)	6610N508	DIRECTION CONTROL VALVE MODEL NO.- DVP-16-0-X/P/H MAKE- HYDAC.	001	SSE/M/M/WFPS/RWP	1 Nos.	0	15-MAR-18	0
			6610N509	BALL VALVE MODEL NO.- KHB-G1/2 1312 06/H 10/10 OF MAKE-HYDAC.	002	SSE/M/M/WFPS/RWP	1 Nos.	0	15-MAR-18	0
			6610N510	BALL VALVE MODEL NO.- KHB-G1/2 1312 06X/H OF MAKE-HYDAC.	003	SSE/M/M/WFPS/RWP	1 Nos.	0	15-MAR-18	0
49	<a href="#">90178540141046</a> dt.31-JAN-18 on M/s.MAMATA ENGINEERING WORKS-KOLKATA <a href="#">RITES-CALL</a>	43660.00 (FP)	6704N269	DRIVE PINION SHAFT, PARTS NO-MH785392300, AS PER VOLTAS MANUAL FOR 3 TON FLT (VOLTAS) OR SIMILAR. ACCEPTED MAKE:AIS.	001	SSE/M/RTShop/RWP	10 Nos.	0	12-MAR-18	0
50	<a href="#">90178542141047</a> dt.31-JAN-18 on M/s.MAMATA ENGINEERING WORKS-KOLKATA <a href="#">RITES-CALL</a>	17582.00 (FP)	6690N690	PIN BOLT FOR FRC CHAIN AS PER DRG NO. BOLT/PIN/FRC/MOULD-01. ACCEPTED MAKE:-MEW.	001	SSE/M/M/Mo Shop/RWP	100 Nos.	0	12-MAR-18	0

**TOTAL PO VALUE :**

4009932.00

\* END OF REPORT \*

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;